



Alto grado de estética y elegancia futurista.

Consumo de agua por descarga 4.8 Litros - 1.28 galones promedio (6.0L para sólidos / 4.2L para líquidos).
Sensor para descarga con activación de pie.

Capacidad de evacuación de sólidos de 1000 gramos.

Asiento de cierre suave con calefacción, con 6 niveles de temperatura y luz led incorporada (luz nocturna).

Sistema integrado de Bidé con limpieza posterior / frontal y secado.

Sifón oculto que brinda continuidad al diseño y facilita su limpieza.

A high level of aesthetic and futuristic elegance

Water consumption per flush: 4.8 liters - approximately 1.28 gallons (6.0L for solids / 4.2L for liquids).

Foot-activated flush sensor.

Solid waste evacuation capacity of 1,000 grams.

Soft-close heated seat with 6 temperature levels and built-in LED light (night light).

Integrated bidet system with posterior/front cleaning and drying.

Hidden siphon that maintains the design continuity and makes cleaning easier.

NEUREN II

Sanitario Inteligente

Smart toilet with
Remote Control

REF. 1903276020

Información Técnica

Technical Information

Uso Use	Residencial Residential
Material Material	Porcelana Vitrea Vitreous Porcelain
Acabado Finish	Brillante Glossy
Dimensiones generales Overall Dimensions	693 × 423 × 528 mm aprox. (27.3 × 16.7 × 20.8 in approx.)
Medida de instalación Installation Measurement	305 mm (12 in)
Presión de agua Water Pressure	30-80 PSI 2.06-5.52 Bar
Capacidad de descarga Flush Capacity	1000 g
Espejo de agua Water Surface Area	146 × 208 mm (5¾ × 8¼ in)
Altura de sello Trap Seal Height	62 mm (2.44 in)
Diámetro del sifón Trapway Diameter	45 mm (1.77 in)

Especificaciones Eléctricas

Electrical Specifications

Voltaje Voltage	110 V - 120 V
Frecuencia Frequency	50 Hz
Potencia Power	870 W
Conector tipo B Type B Plug	1.3 m (4.27 ft)
Protección contra el agua Water Protection	PX4

Este Sanitario funciona con un respaldo de baterías (**BATERÍA DE 9V NO INCLUIDA**). Ver manual de instalación pág. 20.

IMPORTANTE: Con el tiempo, las pilas alcalinas son propensas a presentar fugas, es necesario preventivamente cambiar cada 2 años y ser eliminadas a través de estaciones de reciclaje local.

This toilet operates with a battery backup (**9V BATTERY NOT INCLUDED**). See installation manual, page 20.

IMPORTANT: Over time, alkaline batteries may be prone to leakage. It is recommended to replace them every 2 years as a preventive measure and dispose of them properly through local recycling stations.

Producto Empacado

Electrical Specifications

Dimensiones de Empacado Package Dimensions	785 × 495 × 620 mm aprox. (30.9 × 19.5 × 24.4 in approx.)
Peso Bruto Gross Weight	43.61 kg / 96.14 lb aprox.
Volumen Volume	0.24 m ³ / 8.51 ft ³ aprox.

Garantías

Warranties



GARANTÍA PORCELANA LIMITADA DE POR VIDA
GARANTÍA COMPONENTES 1 AÑO
VITREOUS CHINA LIFETIME WARRANTY
COMPONENTS 1 YEAR WARRANTY

Cuidados y Limpieza


Attendance and Cleanesses

Los acabados superficiales son aquellos que le imprimen una apariencia especial y estética al producto y además le brindan protección. Para prolongar sus cualidades, es vital que la limpieza profunda del producto se haga únicamente con agua y jabón suave y que el secado y el brillo se utilice un paño de algodón limpio. Dicha limpieza se recomienda 2 veces a la semana, y en zonas costeras a diario por la salinidad del ambiente. Por ningún motivo deben usarse elementos abrasivos, ácidos o disolventes para la limpieza del producto. Los acabados pueden variar su comportamiento en zonas costeras y/o en ambientes corrosivos.

Surface finishes are those that give the product a special and aesthetic appearance, while also providing protection. To preserve these qualities, it is essential to clean the product thoroughly using only water and mild soap, and to dry and polish it with a clean cotton cloth. This cleaning is recommended twice a week, and daily in coastal areas due to the salt in the air. Under no circumstances should abrasive materials, acids, or solvents be used to clean the product. Finishes may behave differently in coastal and/or corrosive environments.

Plano Técnico

Technical Drawing



Servicio al cliente:

Customer service

Guatemala:
(502) 6648-0600

Costa Rica:
(506) 2519-5400

Nicaragua:
(505) 2249-5521

El Salvador:
(503) 2274-4620

Honduras (Tegucigalpa):
(504) 3345-615

Honduras (San Pedro Sula):
(504) 9482-6710

Cuidados y Limpieza


Attendance and Cleanesses

El sanitario puede ser operado a través del Control Remoto o de la Perilla Lateral.

The toilet can be operated using the Remote Control or the Side Knob.

Control Remoto

Remote Control



Descarga por Sensor de Pie

Foot Sensor Flushing



Perilla Lateral

One Touch Knob



Lavado Inteligente

Smart Wash

Lavado amplio y fuerte con múltiples modos de limpieza.

Powerful and wide flush with multiple cleaning modes.



Lavado trasero



Lavado frontal



Lavado en movimiento

Limpieza multidireccional y multimodo, siente diferentes experiencias de lavado.
Multidirectional and multi-mode cleaning – experience different wash sensations.